

	Type	L #	Hits	Search Text
1	BRS	L1	3	hydrotapping
2	BRS	L4	4	hydroforming and "thread forming"
3	BRS	L2	24	hydroforming and tapping
4	BRS	L3	65	hydroforming and piercing

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>
<b>1</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 07:20	
<b>2</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 07:21	
<b>3</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 07:21	
<b>4</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 07:25	

	Type	L #	Hits	Search Text
1	BRS	L2	5	(tapping or drilling) and (shock adj2 prevention)
2	BRS	L3	33	(tapping or drilling) and (shock adj2 preventing)
3	BRS	L1	81	(tapping or drilling) and (shock adj2 prevent)
4	BRS	L4	1501	(tapping or drilling) and "shock absorber"
5	BRS	L5	27	(tapping or drilling) and "shock absorber" and "thrust bearing" and piston
6	BRS	L6	60	(tapping or drilling) and "shock absorber" and "thrust bearing"
7	BRS	L7	82	(tap or drill) and "shock absorber" and "thrust bearing"
8	BRS	L8	2	"408"/\$.ccls. and "shock absorber" and "thrust bearing" and piston
9	BRS	L9	51	"408"/\$.ccls. and "shock absorber"

	DBs	Time Stamp	Comments
1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 08:32	
2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 08:32	
3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 08:36	
4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 08:37	
5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 09:39	
6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 08:48	
7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 08:48	
8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 09:40	
9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2005/08/17 09:40	